



Know What You're Getting Into.

TECHNICAL SERVICES DOCUMENT

Cleaning Instructions for Durachem® 500 Garments

Revision (04/2023)

Only garments that have been thoroughly cleaned and dried may be considered for use. Garments contaminated with toxic chemicals or blood/body fluids, excluding sweat from the wearer, should not be considered for use.

Wash separately from non-flame-resistant garments.

Fasten all zippers, buckles, and closures prior to washing.

Wash in a front-loading or other non-agitator machine to lessen mechanical damage during washing. If a top-loading machine is used, select the gentlest cycle available.

Wash in cold water (less than 105 degrees F) with a low sudsing detergent.

Do not use fabric softeners, bleaches, or other stain treatments.

Do not scrape or scrub fabric as this may compromise chemical resistance.

Air-dry only. Do not use hot air or a tumbling air dryer to dry this garment.

Do not dry-clean this garment.

Each cleaning cycle should be documented in the inspection log.

Using this process, Durachem 500 garments can be washed up to 5 times without compromising chemical barrier or flammability resistance.

Warning

The information contained herein is based on technical data that Kappler believes to be reliable. It is subject to revision as additional knowledge and experience are gained. Please visit our website at www.Kappler.com ("Kappler Website") for the most up to date product information and specifications. All pamphlets, brochures or other literature or printed material may contain information that is not as current as the information on Kappler's website. Additionally, there are uses, environments and chemicals for which Kappler products, garments and/or fabrics are unsuitable. The user has the responsibility to review all available data and verify the product, garment and/or fabric is appropriate for the intended use and meets all specified government and/or industry standards for such use. The user should review all available information on the Kappler Website, product labels and QR codes to understand the appropriate uses and limitations of Kappler products, garments and fabrics.

CAUTION: Do not use for fire protection. Avoid open flame or intense heat.

Kappler Inc, • Technical Services Department • Post Office Box 490 (Shipping: 55 Grimes Dr.) Guntersville, AL
35976 • Toll Free 1-800-600-4019 • 1-256-505-4005 • Fax 1-256-505-4151

• Email: customerservice@kappler.com