

Zytron 200

Fabric Color
Gray

When You Need More Strength And A Wider Range Of Protection.

- Offers protection from an expanded range of chemicals.
- Styles available with both bound and heat sealed/taped seams.
- Stronger fabric especially valuable where rip-out is a concern – offers greater physical strength for more demanding work applications.
- Applications: Chemical handling, petrochemical operations, hazardous material clean-up and remediation.



Zytron 200

Specific Chemicals Tested*

| Chemical | Minutes |
|-----------------------|---------|
| Acetic Acid | >480 |
| Acetonitrile | 52 |
| Acrylonitrile | 65 |
| Aniline | >480 |
| Battery Acid | >480 |
| Benzene | 36 |
| Caustic Soda | >480 |
| Chlorobenzene | 38 |
| Crude Oil | >480 |
| Dimethyl Sulfate | >480 |
| Ethanol | >480 |
| Fuel Oil LS | >480 |
| Hydrofluoric Acid 48% | >480 |
| Hydrogen Peroxide | >480 |
| Jet Fuel A | >480 |
| Methanol | >480 |
| Methyl Acetate | 330 |
| Methyl Bromide | 59 |
| N,N-Dimethylformamide | 77 |
| Nitric Acid | >480 |
| Nitrobenzene | 97 |
| Phenol @43 C | 287 |
| Potassium Hydroxide | >480 |
| Sodium Hydroxide | >480 |
| Sodium Hypochlorite | >480 |
| Sulfuric Acid | >480 |
| Trifluoroacetic Acid | >480 |

* Industrial chemical testing was conducted in accordance with ASTM F 739 with normalized breakthrough times reported in minutes.

Note: These tests were performed in accordance with ASTM or other appropriate testing methods by independent laboratories. This data is derived from tests performed on material samples only, not finished garments. For a complete list of chemicals tested and additional tech data visit kappler.com.

WARNING: The information contained herein is based on technical data that Kappler believes to be reliable. It is subject to revision as additional knowledge and experience are gained. Please visit our website at www.kappler.com ("Kappler Website") for the most up-to-date product information and specifications. All pamphlets, brochures or other literature or printed material may contain information that is not as current as the information on Kappler's website. Additionally, there are uses, environments and chemicals for which Kappler products, garments and/or fabrics are unsuitable. The user has the responsibility to review all available data and verify the product, garment and/or fabric is appropriate for the intended use and meets all specified government and/or industry standards for such use. The user should review all available information on the Kappler Website, product labels and QR codes to understand the appropriate uses and limitations of Kappler products, garments and fabrics.

CAUTION: These garments are designed for protection of personnel against short duration thermal exposures. Do not use for firefighting applications. Minimize exposure to open flame or intense heat.

Zytron 200 does not contain PFAS Chemistry.



Zytron® 200



Shown above are typical garment types for this fabric. View standard styles at kappler.com or call Customer Service for custom options.

Hooded coverall styles feature LongNeck™ extended neck design.



Our labels work harder, and smarter.

Kappler's unique SMART™ label makes sizing easy to see, and a quick QR code scan provides complete chemical data plus extensive suit details.

Heat sealed/taped garments (shown) come with double storm flaps, and bound seam garments come with a single storm flap.

MM-0007/23KAP153/JUNE23/WO

